

✓ 2/2

Notice of Allowability	Application No.	Applicant(s)	
	10/605,943	BLOCK ET AL.	
	Examiner	Art Unit	
	Irakli Kiknadze	2882	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the Amendment filed 3/20/2006.
2. ☒ The allowed claim(s) is/are 35-48.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---|--|
| 1. <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input checked="" type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date <u>04102006</u> . |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input checked="" type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |
| | 9. <input type="checkbox"/> Other _____. |

IK

DETAILED ACTION

1. In response to the office action dated February 23, 2006 the Amendment has been received on March 20, 2006.

Claims 1-34 have been canceled.

Claims 35-48 have been newly added.

Claims 35-48 are currently pending in this application.

EXAMINER'S AMENDMENT

2. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

3. Authorization for this examiner's amendment was given in a telephone interview with Kent Baker (Reg. No. 52,584) on April 12, 2006.

4. The application has been amended as follows:

In claim 44, on lines 11 and 12, change "x-ray sources" to --x-ray sources; wherein the controller determines the respective thermal stresses on the multiple x-ray sources.--.

Allowable Subject Matter

5. Claims 35-48 are allowed.

6. The following is an examiner's statement of reasons for allowance:

Claim 35 is allowed because prior art fails to teach or make obvious an x-ray tube assembly comprising: a thermal feedback loop operably connected to provide feedback indicative of thermal conditions of at least one target electrode; and an electron firing controller operably connected to the thermal feedback loop and configured to selectively fire the plurality of independently controllable electron sources to maintain a thermal load on the at least one target electrode below a given threshold as claimed including all of the limitations of claim 35. Claims 36-43 are allowable by virtue of their dependence.

Claim 44 is allowed because prior art fails to teach or make obvious an CT system comprising: multiple x-ray sources extending circumferentially about an anode disc and configured to project x-ray fan beams toward the subject; and a controller operably connected to the multiple x-ray sources and configured to selectively fire the multiple x-ray sources based on respective thermal stresses on the multiple x-ray sources; wherein the controller determines the respective thermal stresses on the multiple x-ray sources as claimed including all of the limitations of claim 44. Claims 45-48 are allowable by virtue of their dependence.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Zhou et al. (US Patents 6,553,096 B1 and 6,850,595 B2), Whitlock et al. (US Patent 6,333,968 B1) and Seppi et al. (US Patent 5,335,255) teach the x-ray systems comprising the independently controlling sources emitting plurality of x-ray beams.

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Irakli Kiknadze whose telephone number is 571-272-2493. The examiner can normally be reached on 9:00-5:30.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Ed Glick can be reached on 571-272-2490. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2882

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Irakli Kiknadze
April 12, 2006

IK



EDWARD J. GLICK
SUPERVISORY PATENT EXAMINER